

**PATENT**

**Certificate of Electronic Transmission**

I hereby certify that this correspondence for Application No. 10/700,611 is being electronically transmitted to Technology Center 3671, via EFS-WEB, on

May 4, 2006

Date

/David W. Dorton/

David W. Dorton, Registration No. 51,625

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent No.: 6,966,082  
Issue Date: November 22, 2005  
Applicant: Bloemer et al.  
Application No: 10/700,611  
Filed: November 4, 2003  
Title: APPARATUS AND METHOD FOR RECIPROCATING AN INFANT SUPPORT  
Art Unit: 3671  
Confirmation No: 6510  
Examiner: Tara L. Mayo  
Atty. Docket No: BMW-02

Cincinnati, Ohio 45202

May 4, 2006

Certificates of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 CFR 1.322(a)) AND  
FOR APPLICANTS' MISTAKE (37 CFR 1.323)**

Attached is Form PTO-1050 (Substitute Form PTO76-22), with at least one copy being suitable for printing.

The exact page and line number where the errors are shown correctly in the application file are:

Column 1, cover page, reads "...Westerkemp," and should read --  
...Westerkamp, --.

The exact page and line number where the errors occur in the application file are:

Column 2, cover page, no attorney of record is listed and should read -- Wood, Herron & Evans, LLP --.

Column 4, line 20, reads "...in a substantially vertically direction..." and should read -- ...in a substantially vertical direction... --.

Column 5, line 39, reads "...such as a an infant seat,..." and should read -- ...such as an infant seat,... --.

Column 8, line 36, reads "...and lower arms 34F 34R, 34', 34R' of..." and should read -- ...and lower arms 34F, 34R, 34F', 34R' of... --.

Column 8, line 60, reads "...first end 164a a cable 164." and should read -- ...first end 164a of cable 164. --.

Column 9, line 11-12, reads "A motor 190 positioned on a support surface 190,..." and should read -- A motor 188 positioned on a support surface 190, -- .

It is noted that errors appear in this patent of typographical nature or character, as more fully described above. These errors occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is respectfully requested.

Please send the certificate to the undersigned. Applicants are of the opinion that a fee of \$100 is due as a result of this communication. If any other charges or credits are necessary to complete this communication, please apply them to Deposit Account 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By: /David W. Dorton/

David W. Dorton, Reg. No. 51,625

2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202  
(513) 241-2324 (voice)  
(513) 241-6234 (facsimile)